Harvest
Acoustic Felt Panel
吸 音 裝 飾 板

Harvest
Acoustic Felt Panel
吸 音 裝 飾 板

合富國際股份有限公司

總公司&展示間：臺中市西屯區工業區37路42號
聯絡電話：04-2358-0698
官方LINE：@885oqwcx
聯絡信箱：pr.harvest@gmail.com
二廠：台中市龍井區工業路182巷29號北側
三廠：台中市龍井區海尾路240巷36號
彰濱廠：彰化縣鹿港鎮崙工北一路10、12號

TAIWAN
Harvest Excel International Pte Ltd
No.42, 37th Road,
Taichung Industrial Park, Xitun Dist.
Taichung City 40768, Taiwan
T +886 4 2358 0698　F +886 4 2350 4897
https://harvestlink.com/zh-tw/
harvest.koh@gmail.com

SINGAPORE
Harvest Link International Pte Ltd
629 Aljunied Road, #05-18
Cititech Industrial Building.
Singapore 389838.
T +65 6745 2203　F +65 6748 3280
sales@harvestlink.com

HONG KONG
Harvest Link Furniture Limited
Unit 1806, 18/F., Max Trade Centre,
23 Luk Hop Street, San Po Kong,
Kowloon, Hong Kong.
T +852 2372 0221　F +852 2372 0227
hksales@harvestlink.com.hk

JAPAN
NAOKI International Furniture Technology Inc.
Ogibashi 1-6-6 1F ·
Koto-ku,Tokyo JAPAN
135-0011
info@naoki-intl.com
www.naoki-intl.com

202604

02 毛氈美學應用
Application of Felt Aesthetics

16 空間聲學的最美演譯
The Most Beautiful Interpretation of Acoustic Space

32 harvest 加佶空間設計
Harvest Enhanced Spatial Design

36 豐富多樣交相輝映
Rich and Diverse Interplay of Elements

38 異材質美學應用
Applications of Mixed Material Aesthetics

Company Profile

合富國際｜辦公與公共空間家俱設計製造

1990年｜新加坡合富成立
1998年｜臺灣合富設立
2026年｜臺灣合富發展至四個廠區

位於台中工業區37路的合富國際，自1990年成立以來深耕家具產業已超過37年，專注於辦公、公共空間含學校圖書館等家俱領域持續以「創新・美學・機能・工匠品質」為核心，結合現代空間需求與生活美學並通過多項國際安全與綠色環保認證

Harvestlink ｜ Office & Public Space Furniture Design & Manufacturing

1990 ｜ Founded in Singapore
1998 ｜ Established in Taiwan
2026 ｜ Expanded to four production sites in Taiwan

Located in Taichung Industrial Park, Harvestlink has been deeply rooted in the furniture industry for over 37 years. Harvestlink specializes in officepublic space furniture, including school libraries & educational spaces.

Guided by the core values of Innovation, Aesthetics, Functionality, and Craftsmanship, Harvestlink integrates modern spatial needs with lifestyleaesthetics. With a commitment to quality, the company has obtainedmultiple international safety standards & green environmental certifications.

Acosutic ceiling panel

天花板懸吊式毛氈（可組合）

聚酯纖維懸掛面板是一種懸吊式隔音材料，採用聚酯纖維設計製成，非常適合用來吸收聲音回響並解決整體噪音問題。當天花板和牆面可用的空間不足以達到最佳吸音效果時，懸掛式聚酯纖維吸音板成為關鍵解決方案。此矩形吸音天花板垂直懸掛於天花板上，雙面吸音，有效降低室內噪音水平並提升音質效果。

The polyester fiber hanging panel is a type of suspended soundproof material made with a polyester fiber design. It is ideal for absorbing sound reverberation and addressing overall noise issues. When available ceiling and wall spaces are insufficient for optimal sound absorption, suspended polyester fiber acoustic panels become a critical solution. This rectangular acoustic ceiling panel is suspended vertically from the ceiling, offering dual-sided sound absorption to effectively reduce indoor noise levels and enhance sound quality.

樣式可參考 P12
靈活擺放，自由拼接

Please refer to Page12 for the style
Flexible placement and free splicing

Carved Acoustic Felt

雕刻吸音毛氈

雕刻板是利用 CNC 機器在吸音毛氈上雕刻出不同圖案。
吊掛板和隱私屏風是增加聲學吸音功能的另一種方法。
Harvest 的彩色吊掛板提供多種標準圖案，是一種現代化的隔屏系統，
可依需求提供不同程度的視覺和聲學隱私。

Carved panels are created using CNC machines to engrave various patterns onto PET acoustic felt panels.
Hanging panels and privacy screens offer an additional method to enhance acoustic absorption functionality.
Harvest's colorful hanging panels are available in a variety of standard patterns, serving as a modern screening system that provides customizable levels of visual and acoustic privacy.

懸吊式雕刻毛氈
Basic Carved Panel

樣式可參考 P13
靈活擺放，自由拼接

Please refer to Page13 for the style
Flexible placement and free splicing



Modular Acoustic Felt

拼接式毛氈

此牆面覆蓋系統概念簡單卻創意無限，安裝方便。提供多種標準形狀，可單獨組裝或互相組合。圖案涵蓋從銳利的角度、趣味幾何到曲線形式的設計，彼此交織組合，營造出柔和流動的圖案效果，使毛氈牆板成為用途廣泛、變化無窮的聲學磚系列。

This wallcovering system is simple in concept yet limitless in creativity and easy to install. It offers a variety of standard shapes that can be assembled individually or combined seamlessly. Patterns range from sharp angles and playful geometric designs to curvilinear forms that intertwine, creating soft, flowing patterns. This makes the PET wall panel an incredibly versatile and endlessly adaptable collection of acoustic tiles.

Basic Pattern
樣式可參考 P13
靈活擺放，自由拼接

Please refer to Page13 for the style
Flexible placement and free splicing

V-Groove
Felt Acoustic Wall Panels

Basic Pattern
樣式可參考 P14
靈活擺放，自由拼接

Please refer to Page16 for the style
Flexible placement and free splicing

V 型溝槽吸音毛氈牆板

V 型溝槽毛氈吸音牆板是使用 CNC 機器在毛氈板材的表面切割出 45 度角的溝槽，尺寸可依客戶需求訂製。
V 型溝槽毛氈吸音牆板可單獨懸掛或組合擺設，用於分隔空間，或可直接黏貼於牆上，以創造視覺效果並減少不必要的噪音。除此之外，該產品還可作為屏風、牆板及家居隔板使用。

V-groove felt acoustic wall panels are crafted using CNC machines to cut 45-degree grooves into the surface of felt boards. The dimensions can be fully customized to meet client specifications.
These panels can be hung individually or arranged in combinations, serving as versatile space dividers or adhered directly to walls to enhance visual appeal and reduce unwanted noise. Furthermore, they can also be used as screens, wall panels, or home partitions, offering a multifunctional solution for both aesthetic and acoustic needs.

天花板懸吊式拼接毛氈
ceiling-suspended patchwork felt

厚度有 9mm 和 12mm，
尺寸可參考，支援客製化。
The thickness of the above ceilings are 9mm and 12mm, the size can be referred to, and customization is supported.

單位 UNIT: mm

Squares	
S6	600 x 600
S8	800 x 800
S12	1200 x 1200



Rectangles	
R612	600 x 1200
R812	800 x 1200
R1224	1200 x 2400



Triangle (Right angle triangle)	
TR6	600 x 600
TR8	800 x 1200
TR12	1200 x 1200

Triangle (Equilateral)	
TE6	600 x 600 x 600
TE8	800 x 800 x 800
TE12	1200 x 1200 x 1200



Circles	
C6	600 diameter
C8	800 diameter
C12	1200 diameter



Hexagon	
H	1050 diameter
custom size	



Heart-Shaped	
HS	1065 x 1807
custom size	



Donut	
D12	1200 diameter
custom size	

Cloud	
CS	Small 930 x 610
CM	Medium 1250 x 820
CL	Large 1827 x 1200



Leaf	
L	1400 x 700
custom size	

Cog	
CG12	1200 diameter
custom size	



Bird	
B	814 x 387
custom size	

天花板懸吊式毛氈（可組合）
Ceiling suspended felt (combinable)

厚度有 9mm 和 12mm，
尺寸可參考，支援客製化。
The thickness of the above ceilings are 9mm and 12mm, the size can be referred to, and customization is supported.

單位 UNIT: mm



Rectangles Combined	
RC12	1200 x 300
RC24	2400 x 300



Big Waves Combined	
BW12	1200 x 400
BW24	2400 x 400



Irregular Combined	
IC12	1200 x 200
IC24	2400 x 200



Waffles	
WA11	1100 x 1100 x 130
custom size	



Offset	
OF1224	1200 x 2400 x 300
custom size	



Harmonise	
HA21	2100 x 2100 x 230
custom size	



Waves	
WA1224	1200 x 2400 x 300
custom size	



Orbital	
OR1224	1200 x 2400 x 300
custom size	



Boat	
BO1224	1200 x 2400 x 300
custom size	

基本樣式
靈活擺放，自由拼接

安裝方法
* 面板本身可選擇有自黏或無自黏
* 使用膠黏劑（可加購）
* 使用雙面海綿膠（可加購）
* 使用魔鬼氈與熱熔膠（可加購）
* 也可以使用您自己的安裝方式。

Basic Pattern
Flexible placement and free splicing
Installation Method
* The panel is available with or without self-adhesive backing.
* Use adhesive (optional).
* Use double-sided sponge adhesive (optional).
* Use Velcro and hot melt glue (optional).
* You may also use your own installation method.

Modular Acoustic Felt
拼接組合式毛氈



尺寸、款式可客製
Support size and style customization.

Carved Acoustic Felt
雕刻吸音毛氈



基本雕花板
在整個板上雕刻圖形
尺寸 : 1200X2400 mm
支援尺寸、款式訂製。

Basic Carved Panel
Engraving graphics on the entire board
Size: 1200x2400mm
Support size and style customization.

V-Groove Felt Acoustic Wall Panels
V 型溝槽吸音毛氈牆板


CoV1

CoV2

CoV3

CoV4

CoV5


CoV6


CoV7


CoV8


CoV9


CoV10


CoV11

CoV12

CoV13

CoV14

CoV15


CoV16


CoV17

CoV18

CoV19


CoV20


CoV21

CoV22

CoV23

CoV24

CoV25

基本樣式靈活擺放，自由拼接
安裝方法
* 面板本身可選擇有自黏或無自黏
* 使用膠黏劑（可加購）
* 使用雙面海綿膠（可加購）
* 使用魔鬼氈與熱熔膠（可加購）
* 也可以使用您自己的安裝方式。

size : 1200 X 2400mm 尺寸、款式可客製
Support size and style customization.

Basic Pattern Flexible placement and free splicing
Installation Method
* The panel is available with or without self-adhesive backing.
* Use adhesive (optional).
* Use double-sided sponge adhesive (optional).
* Use Velcro and hot melt glue (optional).
* You may also use your own installation method.

Small PET Board with V-Shaped Grooves
V 型溝槽吸音小毛氈

CoVS1

CoVS2

CoVS3

CoVS4

CoVS5


CoVS6


CoVS7

CoVS8

CoVS9

CoVS10

CoVS12

CoVS13

CoVS14

CoVS15


CoVS16

CoVS17

CoVS18

CoVS19


CoVS20


CoVS21


CoVS22

size : 600X600mm 尺寸、款式可客製 Support size and style customization.

Color card

HL-01 HL-02 HL-03 HL-04 HL-05 HL-06 HL-07 HL-08
HL-09 HL-10 HL-11 HL-12 HL-13 HL-14 HL-15 HL-16
HL-17 HL-18 HL-19 HL-20 HL-21 HL-22 HL-23 HL-24
HL-25 HL-26 HL-27 HL-28 HL-29 HL-30 HL-31 HL-32
HL-33 HL-34 HL-35 HL-36 HL-37 HL-38 HL-39 HL-40
HL-41 HL-42 HL-43 HL-44 HL-45 HL-46 HL-47 HL-48

色系分類應用範圍
* 吸音天花板面板
* 雕刻吸音毛氈
* 拼接式毛氈
* 天花板懸吊式毛氈（可組合）
* 天花板懸吊式拼接毛氈
* V 型溝槽吸音毛氈牆板
* V 型溝槽吸音小毛氈
* 印刷 PET 牆板

COLOUR FAMILIES SCOPE OF APPLICATION
* Acosutic ceiling panel
* Carved Acoustic Felt
* Modular Acoustic Felt
* Ceiling suspended felt(combinable)
* Ceiling-suspended patchwork felt
* V-Groove Felt Acoustic Wall Panels
* Small PET Board with V-Shaped Grooves
* PRINTING PET WALL PANEL

含富羊毛氈一種高性能的吸音材料。由回收的塑料瓶製成，擁有 Cradle to Cradle 認證並獲得 LEED 認可。
依照最高品質標準製造，但由於使用高度回收纖維，因此可能會有些微的顏色及表面差異。這屬於產品的特性，並不在保固範圍內。
材料顏色在螢幕顯示或印刷時可能會有所差異。請申請材料樣本以確認顏色。

Harvest PET is a high-performance sustainable acoustic absorber made from upcyled plastic bottles which is Cradle to Cradle certified and LEED acredited.
It's manufactured at the highest quality standards, yet slight color and surface devions caused by the high degree of recycled liber are an inevitable part of the product characteristics and do not claim warranty services.
Material varies in colour when shown in monitor or in print. Please request a material sample to verfy colours.

毛氈產品檢驗
Product inspection

色卡因拍照與印刷存在些微誤差，請以公司樣品為準
The color card has slight errors due to shooting, printing and other reasons. Please refer to the company's sample.

Sound Contrast

聲音對比



吸音板原理說明：

木質飾面：採用普通木材或速生木材為原料，利用仿生學原理和電腦模擬設計技術，研發出新型木質裝飾材料。這種材料在保持美觀的同時，具備一定的吸音效果，適用於多樣化的裝飾風格需求。

中密度纖維板 (MDF)：
核心材料為中密度纖維板，提供黑色、黃色或天然色選擇。板材表面的條紋可有效散射聲波，打破聲波的直接傳遞，從而達到吸音降噪的效果。

再生塑料瓶製成的毛氈：毛氈基底採用回收塑料瓶製成，將廢棄塑料轉化為實用且美觀的材料。毛氈能吸收聲波，進而有效降低噪音，滿足多樣的空間裝飾需求。

Principle of Sound Absorbing Panels

Wood veneer:
Made from ordinary wood or fast-growing timber, this material uses the principles of biomimicry and computer simulation design to create a new type of wood decorative material. It combines aesthetic appeal with sound-absorbing properties, making it suitable for various decorative styles.
Medium Density Fiberboard (MDF):
The core material is medium-density fiberboard (MDF), available in black, yellow, or natural finishes. The surface slats effectively diffuse sound waves, breaking up direct sound transmission and reducing noise.
Felt Made from Recycled Plastic Bottles:
The felt substrate is made from recycled plastic bottles, transforming waste plastic into a practical and visually appealing material. This felt absorbs sound waves, effectively reducing noise and meeting the needs of diverse space decoration styles.

施工方法簡單易懂，安裝流程快速，從測量尺寸、切割、標記、釘裝到黏合，步驟簡便易操作。
如需其他安裝方式及安裝配件，請聯繫客服諮詢。

The construction method is straightforward and easy to understand, with a quick installation process. From measuring dimensions, cutting, marking, nailing, to bonding, each step is simple and easy to follow.
For additional installation methods and accessories, please contact customer service for assistance.

客戶服務訂單流程

Custom Order Process: Customer Service Inquiry and Quotation, Specification Confirmation, Order Placement, Production, and Shipment.

亦提供客製化服務
請洽詢業務客服人員

Provide customized services

Please contact business customer service personnel

| 格柵式毛氈系列 |

將材料回歸純淨，創造無壓力的空間。

設計不僅追求簡約，更注重品質與技術。運用天然材料還原空間純粹魅力，恢復空間的純淨質感。木紋吸音板具自然溫馨的質地，成為設計常用的吸音裝飾，尤其白橡樹典雅自然、核桃木清新質樸，是原木風格的理想選擇。

該木條吸音板採用 100% 聚酯纖維、黑色介質密度纖維板及膠合板，兼具吸音降噪、隔音、防潮、防黴及環保阻燃等多功能，結構簡單、性價比高，並易於清潔與維護。

適用於不同風格及層次的空間需求，有多樣化的顏色與圖案選擇，廣泛應用於國內外裝飾材料及聲學工程中，深受聲學專家、室內設計師信賴。

Returning materials to their purest form to create a stress-free environment.
Design is not only about minimalism, but also about emphasizing quality and advanced technology. By using natural materials, we restore the inherent charm of the space and bring back its pure essence.
Wood-grain acoustic panels, with their warm and natural texture, are a popular choice in design. White oak offers an elegant and natural feel, while walnut provides a refreshing, earthy appeal, making them ideal for natural wood-style settings.
These slatted acoustic panels are made from 100% polyester fiber, black medium-density fiberboard (MDF), and plywood. They offer multiple benefits, including sound absorption, noise reduction, insulation, moisture resistance, mildew prevention, and eco-friendly fire resistance. With a simple structure and high cost-effectiveness, they are also easy to clean and maintain.
Suitable for various design styles and spatial needs, these panels come in a wide range of colors and patterns, and are widely used in interior decoration and acoustic engineering worldwide. They are trusted by acoustics experts and interior designers alike.

NEW

Premium PS(Polystyrene) Wooden Grain Slat Panels

質感 PS 木紋格柵板：打造居家深度的靜音美學

細膩還原自然木紋並跳脫傳統木材限制，PS(聚苯乙烯) 更為輕量且穩定。格柵造型能巧妙捕捉光影律動，增強牆面立體感；卓越的吸音效果與防潮特性，在維持現代設計感的同時，更為您營造一個寧靜、舒適且溫馨的居家環境。

Premium PS Wooden Grain Slat Panels : The Silent Aesthetics

Featuring a refined wooden grain that moves beyond traditional timber, our PS material is both lightweight and stable. The sleek slats capture the play of natural light, adding depth and texture to your walls. With excellent sound absorption and moisture resistance, it creates a serene, comfortable, and modern atmosphere for any home.

舒適，是全世界共通的語言。

臥室是最適合使用木條吸音板的空間之一。不僅增添了自然優雅的裝飾，更能有效降低背景噪音和回聲，在房間內營造寧靜的氛圍。木紋的溫潤質感帶來放鬆的氛圍，讓臥室成為一個真正放鬆身心的避風港。每晚都能在這樣的環境中更好地入睡、充分地休息，享受無與倫比的舒適感。

Comfort is a universal language.

The bedroom is one of the ideal spaces to incorporate wood slat acoustic panels. Not only do they add a touch of natural elegance, but they also effectively reduce background noise and echoes, creating a tranquil atmosphere. The warm texture of the wood fosters a relaxing ambiance, transforming the bedroom into a true sanctuary for relaxation. Every night spent in such an environment offers the opportunity for deeper sleep and complete rest, providing an unparalleled sense of comfort.

Performance cases



Performance cases

合富國際的木紋格柵是一種功能性的聲學材料，又是一種純粹的自然裝飾，
將空間氛圍提升到更高層次。且能輕鬆融入任何風格，成為理想的空間搭配之選，
賦予空間獨特的聲學與美學價值。

The wooden grille panels from Harvest International are not only functional acoustic materials but also serve as pure natural decorations, elevating the ambiance of a space to a higher level. They seamlessly integrate with any style, making them an ideal choice for enhancing spaces while adding unique acoustic and aesthetic value.

Grooved Acoustic Wall Panels

凹槽貼面吸音牆板 打造舒適的聲學環境

凹槽貼面吸音牆板以優異的吸音性能，為您的室內空間帶來前所未有的舒適與靜謐。這款吸音板選用 100% 聚酯纖維、密度纖維板（NDF）與高品質木皮製成，提供天然木皮與技術木皮兩種選擇，紋理變化豐富，呈現出自然之美。產品有多達 18 種不同款式與顏色可選，無論您追求的是雅致的自然風格，還是現代的時尚氣息，都能輕鬆找到契合的設計，為空間增添獨特質感與魅力。

Creating a Comfortable Acoustic Environment, Our grooved acoustic wall panels offer exceptional sound absorption, bringing unprecedented comfort and tranquility to your indoor space. Made from 100% polyester fiber, MDF (Medium Density Fiberboard), and high-quality wood veneer, these panels are available in two finishes: natural wood veneer and engineered wood veneer, each featuring unique and rich grain patterns that showcase natural beauty. With 18 different styles and colors to choose from, you can easily find a design that complements your desired aesthetic, whether you prefer an elegant natural style or a modern, trendy vibe, adding distinctive texture and charm to your space.

線條式格柵的吸音板

將毛氈的高性能聲學特性與木材的自然結合。有多種材質可供選擇，並配有純黑色 MDF 背襯。

Linear Grille Acoustic Panels

These panels combine the high-performance acoustic properties of felt with the natural beauty of wood. Available in a variety of materials, they are paired with a sleek black MDF backing.

天花板和牆壁吸音板 Ceiling and Wall Acoustic Panel

	L	W	H	WEIGHT
木板條 Wood Slat	2400/2800 ◆ /3000 ★ mm	600/1200mm	12/21/27mm	10.25kg
隔音板 Acoustic Panel	2400/2800 ◆ /3000 ★ mm	600/1200mm	12/21/27mm	12.5kg
板條寬度 Slat Width: 25mm or 27mm		間距寬度 Spacing Width: 15mm or 13mm		
*** 厚度 Thickness 9mm 底板 +12mm 木板條 ***				
基材 Base Material	100% 聚酯吸音板 100% Polyester Acoustic Panel			
木板條 Wooden Slat	高密度纖維板 High Density Fiber Board			
表面材質 Surface Material	實木或科技木 Solid wood or Tech wood			

◆ **Full Wrap Slatted Panel / Rounded Wood Slat Panel** ★ **Groove veneer faced acoustic panel**



MDF 貼木紋皮 厚度 9mm/12mm
MDF wood grain leather thickness 9mm/12mm

K001

W003

W002



塑木 + 吸音板
PS Slat and PET panels

PS02

PS05



PS06



PS07

凹槽貼面吸音板 圖案可客製或是請參閱 P16 Groove veneer sound-absorbing panel pattern can be customized or please refer to P16



V02

V05

V06

V07

線性木板條色板（底板色卡）
Swatches (Baseboard color card)

AC44 Black

若有特殊需求顏色請聯絡業務或客服人員。
If you have special color requirements, please contact customer service staff.

色卡因拍照與印刷存在些微誤差，請以公司樣品為準
The color card has slight errors due to shooting, printing and other reasons. Please refer to the company's sample.

客製紋路木條面板
Customized panel

若有特殊需求顏色請聯絡業務客服人員。
If you have special color requirements, please contact customer service staff.

打樣確認需另外報價

此產品在厚度、纖維組成及顏色上可能會有輕微的差異，並可能出現混色效果或其他些微表面瑕疵，這是產品固有的特性，無法避免。每批次之間可能會有輕微的顏色及厚度差異。由於螢幕和印表機的色彩顯示可能有所不同，建議您索取色樣以獲得最準確的顏色呈現。

****Sampling confirmation requires an additional quote.****

This product may have slight variations in thickness, fiber composition, color, and may exhibit slight surface imperfections or color mixing effects, which are inherent characteristics and cannot be avoided. There may also be minor color and thickness differences between batches. Since screen and printer displays may vary, we recommend requesting color samples for the most accurate color representation.

ACOUSTIC OFFICE SCREEN

合富桌面屏風，CNC 切割桌面屏風

吸音板可以減少環境噪音，同時在開放式辦公空間中創造私人空間和分隔區域。" 合富國際 " 提供了一種快速、簡便、具成本效益且具有吸引力的解決方案，用於劃分工作區域。這些獨立式辦公隔牆可以輕鬆設置，組裝過程簡單。它們提供了靈活的選擇，能根據使用需求調整空間佈局。

Harvest OFFICE SCREEN

Acoustic panels help reduce environmental noise while creating private spaces and dividing areas within open-plan offices. Harvest International offers a fast, easy, cost-effective, and visually appealing solution for partitioning workspaces. These freestanding office dividers are easy to set up, with a simple assembly process. They offer flexible options to adjust the layout of spaces according to specific needs.

推入式屏風
Push on screen

矩形
每個屏風附有兩個夾具
Rectangle Each screen comes with two clamps



單體屏的厚度為 9mm-24mm，兩塊可黏合在一起製成雙面複合屏
尺寸僅供參考，支援客製化。

The thickness of the monolitic screen are 9mm-24mm, two pieces can be glued together to make a double-sided composite screen.
Size is for reference only, and customization is supported.

基本桌面屏風 CNC 切割桌面屏風
Basic Desk Screens CNC cutting desk screen

	CODE	DIMENSIONS
推入式屏風 Push on screen	ACOP74	700 x 400 mm
	ACOP85	800 X 500 mm
矩形 每個屏風附有兩個夾具 Rectangle Each screen comes with two clamps	ACOR44	400 x 400 mm
	ACOR84	800 x 400 mm
	ACOR104	1000 x 400 mm
	ACOR124	1200 x 400 mm
	ACOR144	1400 x 400 mm
	ACOR164	1600 x 400 mm
	ACOR184	1800 x 400 mm
	ACOR204	2000 x 400 mm
	ACOR224	2200 x 400 mm
	ACOR244	2400 x 400 mm

請在訂單說明中註明顏色和設計名稱
*Please include colour and design name in order description.

Holes | Hexagon Hole | Square Hole

little Stars | Parallelogram | Arrows

尺寸、圖案可客製，顏色參閱 P15
Size and model can be customized.
Please refer to P15 for color.

單體屏的厚度為 9mm-24mm，兩塊可黏合在一起製成雙面複合屏，尺寸僅供參考，支援客製化。
The thickness of the monolitic screen are 9mm-24mm, two pieces can be glued together to make a double-sided composite screen. Size is for reference only, and customization is supported.

基本桌面屏風 鏤空隔音辦公桌屏風
Basic Desk Screens Hollow-out Acoustic desk screen

	CODE	DIMENSIONS
鏤空隔音辦公桌屏風 Hollow-out Acoustic desk screen	ACOH64	600 x 400 mm
	ACOH84	800 x 400 mm
	ACOH104	1000 x 400 mm
	ACOH124	1200 x 400 mm
	ACOH144	1400 x 400 mm
	ACOH164	1600 x 400 mm
	ACOH184	1800 x 400 mm
	ACOH204	2000 x 400 mm
	ACOH224	2200 x 400 mm
	ACOH244	2400 x 400 mm

請在訂單說明中註明顏色和設計名稱
*Please include colour and design name in order description.

單體屏的厚度為 9mm-24mm，兩塊可黏合在一起製成雙面複合屏，尺寸僅供參考，支援客製化。
The thickness of the monolitic screen are 9mm-24mm, two pieces can be glued together to make a double-sided composite screen. Size is for reference only, and customization is supported.

基本桌面屏風 布料包覆的辦公桌屏風
Basic Desk Screens Fabric wrapped desk screen

	CODE	DIMENSIONS
布料包覆的辦公桌屏風 Fabric wrapped desk screen	ACOF64	600 x 400 mm
	ACOF84	800 x 400 mm
	ACOF104	1000 x 400 mm
	ACOF124	1200 x 400 mm
	ACOF144	1400 x 400 mm
	ACOF164	1600 x 400 mm
	ACOF184	1800 x 400 mm
	ACOF204	2000 x 400 mm
	ACOF224	2200 x 400 mm
	ACOF244	2400 x 400 mm

請在訂單說明中註明顏色和設計名稱
*Please include colour and design name in order description.

顏色需求請洽業務客服人員。
For color requirements,
please contact our sales or customer service team.

① 平夾（桌面用）
Flat clip (For desktop)

② L 型夾（適合在桌子外側使用）
L-clip (Suitable for use on the outside of the table)

③ L 型夾（適合在桌子外側使用）
T-clip
(Fits between two table tops)

④ L 型夾（適合在桌子外側使用）
L-clip (Suitable for use on the outside of the table)

如需其他安裝方式及安裝配件，請諮詢客服。
If you need other installation methods and installation accessories, please consull cuslomer service.

自由站立的屏風提供隱私和保密性，可以用作可移動的牆面隔斷，
幫助在繁忙的開放式辦公空間中創造一種平靜、安靜的氛圍。
Free-standing screens provide privacy and confidentiality, serving as movable partitions that help create a calm, quiet atmosphere in busy open-plan office environments.

聚酯纖維
Polyester fiber

布料包裹
Fabric wrapped

	CODE	DIMENSIONS
落地屏風 Floor standing screens	ACOFL616	600 x 1600 mm
	ACOFL1024	1000 x 2400 mm

請在訂單說明中註明顏色和設計名稱
*Please include colour and design name in order description.

產品細節因每批生產不同，下單前請洽詢業務客服索取照片確認。
Product details may vary with each production batch. Please contact our sales or customer service team to request photos for confirmation before placing an order.

Fabric Acoustic Panel

布面聲學牆面

面板是包裹著布料的吸音面板，安裝在牆面或天花板上，用來控制回聲。通過降低背景噪音的水平，原始聲音的清晰度得以恢復，從而實現卓越的音質。您的空間將變得更加舒適、使用友好且具有功能性的聲學空間。這些隔音面板不僅具有美觀的外觀，還具有 A 級防火等級、可漂白清潔和耐用的特性。

Fabric Acoustic Wall Panels are sound-absorbing panels wrapped in fabric, designed to be mounted on walls or ceilings to control echoes. By reducing background noise, the clarity of the original sound is restored, resulting in premium sound quality. Your space becomes more comfortable, user-friendly, and functional acoustically. These soundproofing panels are not only aesthetically pleasing but also feature Class A fire rating, bleach-cleanability, and durability.

	CODE	DIMENSIONS
Squares	ACOS44	400 x 400 mm
	ACOS66	600 x 600 mm
	CODE	**DIMENSIONS**
Equilateral Triangle	ACOET3	300 x 300 x 300 mm
	ACOET6	600 x 600 x 600 mm
	CODE	**DIMENSIONS**
Right Triangle	ACORT33	300 x 300 mm
	ACORT66	600 x 600 mm
	CODE	**DIMENSIONS**
Rectangles	ACOR154	150 x 400 mm
	ACOR156	150 x 600 mm
	ACOR26	200 x 600 mm
	ACOR28	200 x 600 mm
	CODE	**DIMENSIONS**
Circles	ACOC3	300 diameter
	ACOC6	600 diameter
	CODE	**DIMENSIONS**
Hexagon	ACOH326	300 x 260 mm
	ACOH355	355 x 330 mm

尺寸僅供參考，支援客製化。
Size is for reference only, and customization is supported.

聚酯纖維布料
Polyester Fabric



PET 吸音板
PET Acoustic Panel



Squares



Equilateral Triangle



Right Triangle



Rectangles



Right Triangle



Right Triangle



Right Triangle

顏色需求請洽業務客服人員。
For color requirements, please contact our sales or customer service team.

FELT AND PET COMPOSITION

呢料和 PET 組成
這款產品由 100% 聚酯纖維製成，經針刺成型的呢料，並使用環保膠水熱壓固定於聲學背襯上。
合富呢料面板的組成減少了對牆面準備和粉刷的需求，並提供了在任何空間中創造獨特外觀的自由。它利用可釘掛和勾環可接觸的表面，將您的牆壁轉變為聲學板，完美補充商業辦公室、圖書館及教育領域的需求。

The composition of Harvest Felt panels reduces the need for wall preparation and painting, offering the freedom to create a unique look in any space. With a tackable and hook-and-loop receptive surface, these panels transform your walls into acoustic boards, perfectly complementing the needs of commercial offices, libraries, and educational environments.

A side
PET panel
100% Polyester
Thickness: 9mm
Multi color choices

B side
Felt
100% Polyester
Thickness: 2mm
Multi color choices



顏色需求請洽業務客服人員。
For color requirements, please contact our sales or customer service team.

Printing PET Panel

NEW

印刷毛氈吸音板

合富 UV 印刷毛氈吸音板具有耐磨、抗衝擊、防潮、可回收的特性。採用水性環保油墨印刷，無異味，色牢度高、不褪色，可水洗且耐擦拭。這是一系列為現代商業空間設計的數位印花圖案。

Harvest UV Printed Felt Acoustic Panels feature wear resistance, impact resistance, moisture-proof, and recyclable properties. They are printed with water-based eco-friendly inks, are odorless, highly colorfast, fade-resistant, washable, and wipeable. This is a series of digitally printed patterns designed for modern commercial spaces.



Printing PET Panel	Materia	100% polyester fiber
	Size	Customized
	Thickness	9mm on standard
	Color	Printed as your required

尺寸、圖案可客製 Size and model can be customized.